

MEZZANINE FLOOR LIFTS

Safe, efficient, reliable access to your
mezzanine floor areas

Quality engineering – unrivalled value for money

MARKET-LEADING MEZZANINE LIFTS

Combining exceptional engineering and value for money – for the safe and efficient lifting of goods between floors

We offer you a one-stop shop for all your mezzanine goods lift needs, from design and manufacture to installation and servicing – a partnership every step of the way.

Built in compliance with all relevant UK and EU standards, our market-leading range of mezzanine goods lifts will give you a lifetime of reliable performance, backed up with dedicated customer support.

Each mezzanine lift is tailored to your specific needs to ensure you can move products between floors in your factory, warehouse or store in the safest and most efficient way. We combine outstanding product quality with highly competitive pricing to provide you with unrivalled value for money.

Our customers range from single-unit self storage operations to large, multi-national retailers and manufacturers, with UK-wide coverage from Shetland to Guernsey.



- Compliance: all of our mezzanine lifts are CE or UKCA marked, built in conformity with BS/EN standards, The Machinery Directive 2006/42/EC & The Supply of Machinery (Safety) Regulations 2008
- Efficiency: ergonomic designs, fast lift speed, rapid fault-finding technology, optional despatch-and-receive controls and 3-phase mains
- Rapid install: 1.5-day, pit-free installation – for new-build or retrofit projects
- UK-manufactured with a high-quality finish for lifetime reliability
- Safety: CE or UKCA marked, built in conformity with BS/EN standards, The Machinery Directive 2006/42/EC & The Supply of Machinery (safety) Regulations 2008
- Dedicated support: from custom-design and production, to finished installation and beyond

CUSTOMISED TO YOUR SPECIFIC APPLICATION

Mezzanine goods lifts for self storage, retail and industrial sites

We supply mezzanine lifts to some of the UK's leading retailers, manufacturers and self storage companies – with a reputation for quality and reliability. Our lifts enable the safe and efficient lifting of a wide range of products, including: value retail merchandise, homeware, car parts, boat parts, aerospace tyres, mobile phones, photocopiers, sofas, beds, toys, teas, self storage contents, medical supplies, and more.

LIFETIME SUPPORT

We back up your mezzanine lifts with 24/7 after sales support to ensure your operations can keep running 365 days a year

“Transdek provided a quality and cost-effective solution from conception to implementation. The lift installation was scheduled around our busy working environment and was completed out of normal working hours. The installation team were efficient, professional and hard working. With our exciting growth plans I'm sure we will be doing business with the Transdek team again soon.”

NHS Supply Chain



SELF STORAGE: SIMPLE AND SAFE OPERATION; HIGH-QUALITY FINISH AND BESPOKE PAINT COLOURS TO MATCH YOUR CORPORATE STYLE; PIT-FREE, LOW-MAINTENANCE DESIGN; 1.5-DAY RETROFIT/NEW-BUILD INSTALL




INDUSTRIAL: QUALITY, STRESS-ENGINEERED LIFTS FOR HEAVY-DUTY WAREHOUSE/FACTORY OPERATION; HIGH POINT-LOAD, INCREASED SWL OPTIONS, INDUSTRIAL POWERPACKS; IP 65-RATED ELECTRICS; OPTIONAL IMPACT-PROTECTION SYSTEMS



RETAIL: ENHANCED CONTROLS AND POWER PACK FOR CONTINUOUS RELIABLE EFFICIENCY – TO ENSURE YOU GET YOUR PRODUCTS TO YOUR CUSTOMERS ON TIME, EVERY TIME

THE SAFEST, FASTEST, MOST COST-EFFECTIVE MEANS TO LIFT PRODUCTS BETWEEN FLOORS



SAFETY FIRST

- Compliance: all of our goods lifts comply with relevant UK and EU standards and the Machinery Directive 2006/42/EC
- Access gates with electrical and mechanical guard locking (conforms to PLd) and RFID coded safety sensors
- Inner lift car: mechanical locking mechanism; ply- or aluminium- lined to avoid extrusions
- Lift platform: rigged steel box section frame with anti-slip flooring
- Lift shaft: clad in 10G 50mm x 50mm galvanised mesh
- Access ramp: low gradient access to ultra slimline lift platform (for surface-mounted unit); side ramps minimise risk of trips
- Continuous development: proud safety record; ongoing development work to ensure you get the best possible quality and safety



"We have four mezzanine floor lifts installed by Transdek and are delighted with them. The lifts are easy to operate and very reliable, with a range of built in safety features."

EFFICIENT PRODUCT MOVEMENTS BETWEEN FLOORS

“We have been very impressed with Transdek’s professional approach throughout the design, build and delivery stages of this project. Not only have they supplied a robust, well-engineered product at a competitive price, they also managed to deliver the lifts two weeks ahead of schedule to suit our build plans.”

DFS



- Modular, surface-mounted install: fitted in just 1.5 days
- Rapid fault-finding technology: minimise downtime, increases operator self-fix rates by up to 80%
- Simple-to-use HMI touchscreen operation*: ergonomic design
- 240V mains power pack standard for universal usage
- Optional run-through capability*: through-lift access for space-restricted sites

*Lift options



ENGINEERED FOR A LIFETIME OF RELIABLE OPERATION ▲

- Producing mezzanine lifts since 2004 – our original lifts are still providing reliable service today
- Low-maintenance, single-ram hydraulics: 1-tonne SWL standard
- Structurally-engineered: rugged, steel-section build
- Lift platform: buffalo board flooring with reinforced steel subsection
- Lead-on ramp: 4.5mm steel durbar
- Gates: 2100mm-high electrically-interlocked outer gates; 1000mm-high platform gates
- Steel footplates: anchor unit directly on to warehouse floor

“We have worked with Transdek since 2010, which is testament both to the quality of their products and the exceptional customer service they provide us. They understand the pressures of our business and are able to respond to our tight deadlines.”

Dunelm



OUR MEZZANINE LIFT SPECIFICATION & OPTIONS ▲

Bespoke lift sizes to suit your specific operation

Platform Width	1500mm – 3000mm
Platform Length	1500mm – 3000mm
Overall Width	2170mm – 3376mm
Overall Length	2063mm – 3580mm
Maximum Floor Height	Up to 5100mm
Access Ramp – Length	500mm – 1000mm
SWL	1000kg – 1500kg
Lift Speed	80mm/s

MEZZANINE LIFT OPTIONS ▲



Bespoke Sizes
Single-pallet to 3-metre platforms



Exterior Install
Maximises interior space



Power Pack
Wall or floor-mounted



Controls
Positive-pressure or despatch-and-receive



Power Supply
3-phase or 240V mains



Bespoke Colours
To suit your build scheme



Lift Car Sides
1100mm to 1800mm-high



Outer Gates
Extra tall gates



Car Lining
Ply or aluminium



Critical Spares Package
Supports in-house maintenance



Access Ramp
500mm or 1000mm



Service Package
Bespoke SLA's



Transdek UK Ltd
Bryans Close, Harworth,
Doncaster, DN11 8RY

t: 01302 752 276
e: info@transdek.com
i: www.transdek.com

